



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

JOURNAL
OF THE
NEW YORK
ENTOMOLOGICAL SOCIETY

Devoted to Entomology in General

Volume XXIV, 1916

EDITED BY CHARLES SCHAEFFER

NEW YORK
PUBLISHED BY THE SOCIETY
QUARTERLY
1916

PRESS OF
THE NEW ERA PRINTING COMPANY
LANCASTER, PA.

CONTENTS OF VOLUME XXIV.

	PAGE
ACKERMAN, ARTHUR J., The Carpenter Bees of the United States of the Genus <i>Xylocopa</i>	196
ALEXANDER, CHARLES P., New Limnophiline Crane-Flies from the United States and Canada	118
BIRD, HENRY, <i>Xanthocia Buffaloensis</i> Grt., its Larval Habit and Occurrence Within Our Fifty-Mile Faunal Zone	86
CRAMPTON, G. C., The Orders and Relationships of Apterygotan Insects	267
DAVIS, WM. T., Notes on Cicadas from the United States with Descriptions of Several New Species	42
Two New Cicadas Belonging to the Genus <i>Okanagana</i>	233
Louis H. Joutel	239
DICKERSON, EDGAR L., AND WEISS, HARRY B., The Ash Leaf Bug, <i>Neoborus Amoenus</i> Reut	302
FELT, E. P., New Western Gall Midges	175
FORBES, WM. T. M., On Certain Caterpillar Homologies	137
FROST, S. W. Biological Notes on <i>Ceutorhynchus Marginatus</i> Payk.	243
GIRAULT, A. A. A Remarkable New Genus of Encyrtidæ from the West Indies, Bearing Two Ring Joints	232
HEBARD, MORGAN, A Study of the Species of the Genus <i>Stenopelmatus</i> Found in the United States	70
LENG, CHARLES W., Notes on Cychrini	39
Notes on Alleculidæ	142
MATAUSCH, IGNAZ, Notes on a Peculiar Nymph-Variation of <i>Enchenopa Binotata</i> .	151
PARKER, R. R., <i>Sarcophagidae</i> of New England	171
Notes Concerning <i>Gastrophilus Hæmorrhoidalis</i> Linn.	253

	PAGE
SCHAEFFER, CHARLES,	
New Diptera of the Family Asilidæ with Notes on Known Species	65
New Species of the Family Elateridæ	256
SWENK, MYRON H.,	
Descriptions and Records of North American Hippoboscidæ ...	126
WEISS, HARRY B.,	
The Insect Fauna of New Jersey Greenhouses Exclusive of the Coccidæ	144
WHEELER, WILLIAM MORTON,	
Notes on Slave-Raids of the Western Amazon Ant (<i>Polyergus breviceps</i>)	107
Obituary	153, 157, 236
Miscellaneous Notes	90, 153
Proceedings of the New York Entomological Society	94, 157, 237

INDEX TO NAMES OF INSECTS AND PLANTS IN VOLUME XXIV.

Generic names begin with a capital, specific names with a small letter. New genera, subgenera, species, subspecies, varieties and *nomina nova* are printed in italics.

Acerentomon, 271
Achoreutes, 278
 armatum, 144
Acmaeops pratensis, 166
Acrocinus longimanus, 21
Adalia bipunctata, 146
 humeralis, 99
Adnostema fasciculatum, 177
Agrion puella, 6
Agriotes *brunneus*, 264
Alaus lusciosus, 256
 zunianus, 256
Aleyrodes vaporarium, 145
Allecula, 143
Ameles, 19
Ameromyzobia aphelinoides, 232, 233
Amphiscepa bivittata, 103
Anax junius, 91
Andinetia, 198
Anisandrus pyris, 310, 313
Anisolabia maritima, 242
Anthocaris genutia, 95
Anthocomus erichsoni, 154
Anthonomus hamamelidis, 307
 latiusculus, 92
Anthophilax hoffmanni, 313
 malachiticus, 164, 311, 313
 viridis, 313
Anthophora, 197
Antispila, 141
Anurida, 278
Apæcasia deductaria, 313
Apatelodes,
Apatura clyton, 310
Aphelinus, 232
Aphiochæta albidihalteris, 148
Aphis gossypii, 145
 hederæ, 145
 nerii, 145

Apion puritanum, 307
Apis, 197
 brasilianorum, 197
 moris, 197
 violacea, 197
Aptopus peregrinus, 257
 rugiceps, 257
 subcarinatus, 256
Aramigus fulleri, 146, 159
Archips infumatana, 164, 153
 rosaceana, 147
Arctia caia, 96
Ardihtomis puncticollis, 92
Argia putrida, 306
Arphia sulphurea, 312
Arrhenophagus, 232
Asaphes, 96
Asilus *fulviventris*, 69
 hypopygialis, 68
Asphondylia *adenostoma*, 177
 chrystothamni, 178
 eupatorii, 178
Asteromyia carbonifera, 179
 cuneifolia, 180, 181
 grindeliæ, 180
 gutierreziae, 179
 sarothræ, 179
Atrytone zabulon, 155, 237
Attalus melanopterus, 154
Attelabus bipustulatus, 312

Balaminus obtusus, 307
Bibio, 269
Bigelovia graveolens, 178
Blethisa quadricollis, 99
Boreaphilus, 106
Bradycellus neglectus, 92
Bremis, 197

- Calisto archelates*, 165
 confusa, 165
 heraphila, 165
 hysius, 165
 nubila, 165
 pulchella, 165
 tenebrosa, 165
 zangis, 165
Callida punctata, 242
Callopietria floridensis, 147
Calopteryx, 306
Calosoma sycophanta, 163
Calotermes, 8
Caltha palustris, 159
Campodea, 271
Capnia, 274
Captodisca, 141
Carabus chamissonis, 97, 310
 nemoralis, 99, 100
Cardiophorus erythropus, 167
Carpophilus antiquus, 165
Carthasis decorata, 308
 contrarius, 308
 rufo-notatus, 100, 308
Catocala amatrux, 105
Centris, 197
Cephennium, 271
Cephenomyia abdominalis, 92
Ceroplatus, 270
Ceruchus piceus, 242
Ceutorhynchus marginatus, 243
 neglectus, 245
 punctiger, 244
Chaetocnema confinis, 100
Chauliognathus marginatus, 169
Chilianella productilis, 94
Chlænus circumcinctus, 92
 floridanus, 92
 maxillosus, 92
Chæradodis, 19
Cholus cattleyæ, 313
Chortophaga viridifasciata, 312
Cicada arizona, 51
 auletes, 43, 60
 aurifera, 44, 46, 64
 bifida, 47, 64
 canalicularis, 45, 60, 64, 164
 castanea, 49, 64
 charactera, 61
 chisas, 62, 64
 cinctifera, 49
 crucifera, 54
 davisi, 45, 46, 60, 64
 delicata, 51, 60
 dorsata, 60
 erratica, 59, 60
Cicada eugraphica, 52, 54, 58, 59
 figurata, 43, 44, 60, 64
 grossa, 43
 hieroglyphica, 60, 61, 62, 64
 johannis, 62, 64
 linnei, 60
 lyricen, 44, 60
 marginata, 43, 60
 milvus, 57, 59
 olympusa, 56, 57, 59
 orientalis, 235
 pruinosa, 60
 reperta, 51, 58, 60
 resh, 60
 resonans, 43, 44, 60
 sayi, 60
 sex-gutlata, 42, 62, 64
 similaris, 43, 44, 60
 sordidata, 51, 55, 56, 57, 58, 59
 superba, 60
 swalei, 42
 texana, 54, 56, 59
 tibicen, 242
 townsendi, 46, 64
 viridifascia, 42, 58, 60
 vitripennis, 42, 58, 60
Cicindela ancociscenensis, 154, 311
 argentata, 104
 blanda, 155
 boops, 96
 consentanea, 100
 debilis, 104
 harrisi, 98
 hirticollis, 98, 311
 lepida, 96
 limbalis, 98, 311
 longilabris, 310
 modesta, 98, 101
 munifica, 101
 nigrita, 98
 patruela, 98
 purpurea, 98, 154
 repanda, 154
 rhodensis, 93
 rugifrons, 101
 segnis, 104
 sex-guttata, 98, 101, 166
 splendida, 154
 tortuosa, 155
 trauquebarica, 154, 166
 trifasciata, 96
 unipunctata, 100
Cociobius, 232
Coccophagus, 232
Cœliodes punctiger, 244
Colias eurytheme, 310

- Collops georgianus*, 153
 sublimbatus, 153
 tricolor, 154
 vittatus, 153
Coptotermes, 38
 flavus, 8
Corythuca, 38
Corethra, 5
Corthylus punctatissimus, 105
Corydalis, 38
Corydaloides, 14, 15
 scudderi, 39
Corymbites atropurpureus, 167
 copei, 167
 rotundicollis, 167
Cotalpa brucei, 99
 lanigera, 242
Cremastachilus, 96
Crioceris 13-punctata, 242
Culex fatigans, 160
 quinquefasciata, 160
Cuterebra buccata, 100
Cychnus canadensis, 164
 ridingsi, 311
Cyllene pictus, 242
Cymindis elegans, 92
Cypripedium acaule, 312

Dasypletus lucasi, 281
Dermestes pulcher, 309
Diacrisia virginica, 147
Diarthronomyia artemisiæ, 192
 californica, 193, 195
 floccosa, 193, 195
 hypogæa, 193, 194
 occidentalis, 193, 194
Diazosma, 125
Dicælus quadratus, 92
Dineutes discolor, 105
Diorymellus lævimargo, 313
Diplostethus opacicollis, 260
 peninsularis, 260
 setosus, 260
Diprion simile, 313
Donacia rufa, 159

Eccritosia amphinome, 66
Ectatosoma papa, 38
Elater apicatus, 257
 carbonicolor, 167
 collaris, 257
 discoideus, 258
 linteus, 258
 luctuosus, 167
 mixtus, 248
 nigricollis, 258

Elater nigrinus, 167, 258
 oregonus, 258
 pullus, 258
 rubricollis, 258
 sanguinicollis, 258
Emhaphion, 39
Enchenopa binotata, 151, 152
Encyrtus flavus, 148
Eosentomon, 271
Ephemera, 4
Erax californicus, 67
 costalis, 66
 pallidus, 67
 rapax, 67
 stamineus, 67
 subcupreus, 66
 subpilosus, 67
Eristalis tenax, 149
Eucactophagus graphipterus, 93, 146,
 150
Euphoria limbalis, 92
Eurosta solidaginis, 158
Euryglottis albstigmata, 165
 basalis, 165
Euschistus servus, 312
Eutettix carinatus, 312
Evetria buoliana, 100
Exochomus 4-pustulatus, 99, 146

Forficula auricularia, 146
Formica fusca, 107, 108, 109, 110, 112,
 114, 117
 subsericea, 107
 argentea, 107
 sanguinea, 114
 incerta, 116
 glebaria, 117
 rufibarbis, 112, 117

Galerucella cavicollis, 165
 rufosanguinea, 159
Gastrophilus equi, 255
 hæmorrhoidalis, 253, 254, 255
 nasalis, 255
Gibbium scotias, 243
Glyphonyx bimarginatus, 264
 brevicollis, 266
 dubius, 265
 ferruginosus, 266
 inquinatus, 266
 præcox, 266
 testaceus, 266
Goes pulverulentus, 242
Gomphus descriptus, 158
Gonepteryx rhamni, 105

- Gracilaria zachrysa*, 147
 culea, 95
Graphiphora subterminata, 95
Gryllotalpa gryllotalpa, 99
Gryllus assimilis, 312
Gymnetes sallei, 313
Gyrinus dichrous, 105

Halticus citri, 145
Hapagoxenus sublævis, 116
Heligmoneura, 68
Heliothrips hæmorrhoidalis, 145
Hemoroplanus acuta, 96
Henicocephalus biceps, 158
 culicis, 158
Hepialus, 138
 humuli, 141
Heptagenia, 38
Herse cingulata, 155
Hippiscus phœnicopterus, 312
Homoiptera woodwardi, 21
Hormomyia caudata, 176
Hydræna pennsylvanica, 98
Hydræcia appassionata, 242
Hymenia perspectalis, 147
Hymenorus rufipes, 143
Hyphantria cunea, 146
Hypochæris maculata, 244

Incisalia henrici, 95
Isochroa, 41
 andrewsi, 41
 germani, 41
 guyoti, 41
Isia isabella, 147
Isochætes beutenmülleri, 242
Isosoma orchidearum, 148, 150
Isotoma, 278
 quadrioculata, 144

Japyx, 271
Jodia rufago, 95

Kalmia latifolia, 158
Kaptorthosoma, 198

Largus davisii, 94
 succinctus, 95
Lasiopogon arizonensis, 65
Lasioptera echinochloa, 181
 impatentifolia, 182
 inustorum, 182
 lactuæ, 181
Lepisma, 39, 269, 271, 285
 corticula, 283
Leptobyrsa explanata, 99

Leptogenys, 116
Leptophya mutica, 99
Leptura chrysocoma, 166
 emarginata, 242
 vibex, 166
Lestis, 197
Leucorhampa ornatus, 165
Leucorhinia frigida, 97
Leuctra, 274
Limenitis ursula, 93
 albofasciata, 93
Limnophila alleni, 118, 119, 120, 125
 marchandi, 118, 120, 125
 mundoides, 120, 123, 125
 munda, 121, 122, 123, 125
 terebrans, 121, 123, 125
 barberi, 122, 123, 125
 terræ-novæ, 123, 125
 similis, 123
 fulvocostalis, 123
 insularis, 123
 oslari, 123, 125
 lenta, 123, 124
 osborni, 124, 125
 subsinnata, 124, 125
Lithariapteryx, 141
Lithomantis carbonaria, 9, 21
 goldenbergi, 21
Lobopoda, 143
Loxandrus celeris, 92
Lucanus, 161
 cervus, 103
 elephus, 98
Ludius, 260, 261

Machilis, 19, 271, 285
Macrosiphum lactuæ, 145
 rosæ, 145
 sanborni, 145
Malachius æeneus, 98
Malthodes, 158
Mantispa interrupta, 312
Megapenthes angularis, 259
 longicornis, 259
 nigriceps, 259
 rufilabris, 259, 260
 tarsalis, 259
Megilla, 197
Melanactes, 96
Melanotus opacicollis, 167
Melitæa harrisi, 158
 prodenialis, 313
Melyrodes cribrata, 154
Memytrus palmi, 94
Meromyzobia, 232
Merope, 274

- Mesotrichia, 197
 torrida, 197
 Metapodius confraternus, 94
 Metatropiphorus belfragei, 308
 Methoca bicolor, 313
 Micromalthus debilis, 100
 Microrhagus andax, 167
 imperfectus, 167
 Monardia *foliata*, 195
 Monarthropalpus buxi, 105, 309
 Mycetochara, 161
 horni, 142
 rufipes, 143
 Myzus persicae, 145
 rosarum, 145

 Nabis assimilis, 308
 annulatus, 308
 capsiformis, 308
 chenkeanus, 308
 constrictus, 308
 crassipes, 308
 ferus, 308
 flavomarginatus, 308
 heidemanni, 308
 inscriptus, 308
 kalmiae, 308
 limbatus, 308
 nigriventris, 308
 pallidus, 308
 propinquus, 308
 roseipennis, 308
 rufusculus, 308
 sericans, 308
 sordidus, 308
 subcoleoptratus, 308
 vicarius, 308
 Neanura, 278
 Neoborus amoenus, 302
 palmeri, 302
 plagiata, 302
 saxeus, 302
 signata, 302
 Neocerata rhodophaga, 148
 Nomaretus, 42
 Nomotettix cristatus, 312
 Nonagria laeta, 103
 Notonecta uhleri, 312
 Nicoletia, 283, 285
 Nymphula oblitteralis, 147

 Ochthebius foveicollis, 98
 Ochria, 86
 Okanagana *oregona*, 233, 236
 rotundifrons, 235, 236
 Olfersia acerta, 129

 Olfersia albipennis, 126, 127, 129, 133
 americana, 130, 131, 132
 angustifrons, 130
 ardea, 128
 botaaurinorum, 128, 129, 133
 bubonis, 130
 intertropica, 129, 133
 pallidilabris, 129
 scutellaris, 129, 133
 wolcottii, 132
 Olisthopus parmatatus, 92
 Ommatius maculatus, 69
 parvulus, 69
 pretiosus, 69
 Omophron, 168
 Oniscigaster, 39
 wakefieldi, 14
 Onychomyrmex, 116
 Onodiplosis sarcobati, 176
 Orchesella, 278
 Oribates alatus, 18
 latipes, 18
 Oribatula caliptera, 18
 plantivaga, 18
 Ornithomyia anchineuria, 127, 134, 136
 avicularia, 134
 bellardiana, 136
 butalis, 134
 buteonis, 133, 135, 136
 confluenta, 127
 costaricensis, 134, 135
 erythrocephala, 133, 135, 136
 fusciventris, 134
 haitiensis, 134, 135, 136
 nebulosa, 127, 133
 pallida, 127
 varipes, 134
 piranga, 135
 Oromyia, 120
 Orthostethus *caviceps*, 263, 264
 pectinicornis, 263, 264
 Otiorhynchus auricapillis, 100
 singularis, 100
 sulcatus, 99, 103

 Pachyta rugipennis, 311
 Pagasa fusca, 308
 nitida, 308
 pallipes, 308
 Papaipema humuli, 87
 ptersisii, 87
 Papilio palamedes, 311
 turnus, 158
 Paralelostethus, 261
 attenuatus, 261
 Paranomopone, 116

- Parthenothrips dracænæ, 144
 Pasimachus subsulcatus, 92
 Peltoperla, 274, 269
 Peridroma margaritosa, 147
 Perigonia ilus, 165
 lusca, 165
 Periplaneta, 38
 americana, 146
 australasiæ, 146
 Pheidole anastasii, 148, 150
 Phengodes laticollis, 96
 Phlebotomys, 160
 Phlegon pectorosus, 167
 Phlæotribus frontalis, 95
 Phlyctænia ferrugalis, 147
 Phyciodes batesii, 158
 Phyllobolis, 120
 Phymatodes lengi, 242
 Physianthus albens, 242
 Phytomyza chrysanthemi, 149
 Phytophaga peroculta, 191
 timberlakei, 191
 vislicola, 148, 150
 wellsi, 190
 Pieris brassicæ, 142
 daplidice, 142
 oleracea, 158, 313
 rapæ, 142
 Pinipestris zimmermanni, 105
 Plagioderia versicolor, 99, 100
 Plastocerus frater, 267
 granti, 266
 megalops, 267
 schaumi, 267
 Platinopoda, 198
 Plutella maculipennis, 147
 Podura, 278
 Polyergus rufescens, 107, 111, 112,
 113, 114, 116, 117
 breviceps, 107, 108, 111, 112, 113,
 114, 115, 116, 117
 bicolor, 111
 lucidus, 111, 112, 113, 114
 læviceps, 112
 montivagus, 114
 Porcellio, 39
 Prenelopsis fulva, 148, 150
 pubens, 148, 150
 Prionoxystus robiniaæ, 159
 Promachus minusculus, 68
 nigropilosus, 68
 Protoparce cubana, 161
 occulta, 164
 rustica, 161
 Prostenus californicus, 142
 Prunus pennsylvanica, 165
 serotina, 165
 Psenocerus supernotatus, 166
 Pseudebæus bicolor, 154
 Pseudocistela erythroptera, 143
 Pseudonomarethus, 42
 Psychoda cinerea, 100
 Pteronarcys, 39
 Pterostichus approximatus, 96
 purpuratus, 96, 102
 Pulex, 269
 Pycnoscelus surinamensis, 146
 Rhomaleum, 38
 Rhombodera, 19
 Rhinomacer pallipennis, 313
 Rhopalomyia *ampullaria*, 185
 antennaria, 184
 chrysothamni, 187, 188
 crassulina, 187
 encelia, 183
 ericameria, 190
 erigerortis, 189
 glutinosa, 188
 grindelia, 186
 gutierrezia, 184
 salvia, 184
 utahensis, 186, 187
 Rhopalosiphon ligustri, 105
 violæ, 145
 Rihana swalei, 51
 virgulata, 51
 Rithogena, 38
 Saperda candida, 166
 Sarcobates vermiculatus, 176
 Sarcophaga *pachyprocta*, 171
 Saururus cernuus, 87
 Sceliphron chitarius, 103
 Scenopinus, 269
 Schönherria, 198
 Sciara inconstans, 148
 multisetæ, 148
 Scolopendrella, 274
 Semiophora gistra, 105
 Sesia sigmoides, 242
 Sialis, 4, 274
 Sphæroderus *blanchardi*, 41
 bicarinatus, 41
 brevoorti, 40, 41
 canadensis, 41
 granulosus, 40
 lecontei, 41
 nitidicollis, 40, 41
 schaumii, 40, 41
 stenostomus, 41

- Spilosoma latipenne*, 242
Stegomyia pallipes, 160
Sthenopis, 141
Stenodictya, 14, 15
 lobata, 21, 28
Stenopelmatus californicus, 79, 80, 83
 cephalotes, 74
 comanchus, 74
 fasciatus, 74, 76, 77, 78, 80
 fuscus, 71, 72, 73, 74, 75, 76, 80, 81, 85
 histrio, 83
 hydrocephalus, 74
 irregularis, 80, 83
 longispina, 71, 72, 73, 75, 80, 81, 83, 84, 85
 oculatus, 74, 77, 78, 80
 pictus, 73, 84, 86
 talpa, 71
 terrenus, 80
Stenopogon tenebrosus, 65
Strategus antæus, 96
Stygnocorius pedestris, 104
 rusticus, 104

Tachopteryx thoreyi, 158
Tachys columbiensis, 92
 ventricosus, 92
Taraxacum officinale, 244
Tedius angustus, 142
Tenebrio, 20
Tenthecoris bicolor, 313
Termes flavipes, 243
Tetracha carolina, 307
 floridana, 307
 sobrina, 96
Tetragoneuria caius, 158
Tetromorium caespitum, 148
 guineense, 148, 150
Thanaos funeralis, 237
Thelydrias contractus, 243
Thereva, 269
Thrips tabaci, 145
Trachusa, 197
Trichius texanus, 243
Trichocera subsinuata, 124, 125
Trichophorus arizonensis, 262, 263
 carolinensis, 261

Trichophorus hepaticus, 261
 texanus, 260
 substriatus, 261, 262, 263
 variatus, 262, 263
Tricorythus, 11
Tricrania sanguinipennis, 169
Tropodostepes amœnus, 305

Vespa maculata, 165

Xanthœcia buffaloensis, 86, 90
 latia, 86
 simplicissima, 90
Xanthus pygmæus, 92
Xylina pexata, 105
Xylocopa, 197
 æneipennis, 209, 210, 223, 225, 231
 amblardi, 209, 227, 228
 arizonensis, 209, 210, 228, 229, 230
 barbata, 209
 binotata, 209, 212, 215
 brasilianorum, 209, 223, 231
 californica, 209, 210, 227, 228, 231
 chiriguensis, 219
 cubæcola, 209, 210, 223
 fimbriata, 209, 210, 221, 223, 231
 frontalis, 223
 micans, 209, 210, 212, 231
 mordax, 209, 223
 morio, 209
 nasuta, 212
 ordinaria, 209
 orpifex, 209, 210, 211, 212, 231
 purpurea, 209, 212, 214
 tabaniformis, 210, 219, 231
 texana, 210, 214, 216, 231
 transitoria, 209
 varipunctata, 209, 223, 226
 vidua, 212
 virescens, 209
 virginica, 210, 215, 218, 219, 231
Xylophanes democrita, 164

Yersinia, 19

Zopherus, 4
Zygæna, 4